



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: POURCHET, Jean-Yves; POURCHET, Bernard

SERIAL NO.: 10/521,293

ART UNIT: 3721

FILED: January 14, 2005

EXAMINER: Gerrity, S.F.

TITLE: DEVICE FOR PACKAGING CONTINUOUS WEBS OF MATERIALS SUCH AS SELVEDGES GENERATED ON THERMOFORMING UNITS

CERTIFICATE OF MAILING UNDER 37 CFR 1.8(a)

Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

Sir:

I hereby certify that the attached correspondence comprising:

AMENDMENT "A"

is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:


Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

on **AUG 17 2006**

**AUG 17 2006**

Date

Respectfully submitted,

  
\_\_\_\_\_  
John S. Egbert  
Reg. No. 30,627  
Attorney for Applicant  
Egbert Law Offices  
412 Main Street, 7th Floor  
Houston, Texas 77002  
(713)224-8080



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: POURCHET, Jean-Yves; POURCHET, Bernard

SERIAL NO.: 10/521,293

ART UNIT: 3721

FILED: January 14, 2005

EXAMINER: Gerrity, S.F.

TITLE: DEVICE FOR PACKAGING CONTINUOUS WEBS OF MATERIALS SUCH AS SELVEDGES GENERATED ON THERMOFORMING UNITS

AMENDMENT "A"

Director of the U.S. Patent  
and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Office Action of June 1, 2006, a response being due by September 1, 2006, please enter the present amendments and consider the following remarks:

REMARKS

Upon entry of the present amendments, previous Claims 1 - 9 have been canceled and new Claims 10 - 17 substituted therefor. Reconsideration of the rejections, in light of the forgoing amendments and present remarks, is respectfully requested. The present amendments have been entered for the purpose of placing the application into a proper condition for allowance.

In the Office Action, it was indicated that Claims 1 - 9 were rejected under 35 § U.S.C. 112, second paragraph, as being indefinite. The drawings were objected to as failing to comply with 37 C.F.R. 1.84(p)(5) because they lack a reference sign. The drawings are also objected to as failing to comply with 37 C.F.R. 1.83(a) as lacking the "pressurized air source" of Claim 4 and the